

# MATERIAL SAFETY DATA SHEET

MISTIC METAL MOVER, INC.  
1160 N. 6TH STREET  
PRINCETON, ILLINOIS 61356  
(815) 875-1097

July 1, 2000  
**EMERGENCY TELEPHONE NUMBER**  
- 24 HOURS -  
1-800-535-5053

## SECTION 1 - PRODUCT INFORMATION

PRODUCT NAME: **Mistic Metal Mover II**      FORMULA: Proprietary

## SECTION 2 - HAZARDOUS INGREDIENTS

INGREDIENT	CAS#	TLV/PEL	HAZARD
NONE			

PEL/TLV are not established for this material.

This product is not listed in the Sara Title III Consolidated List.

This product is not listed in 40 CFR 302.4.

**REFERENCES:** 29CFR 1910.1000. ACGIH "Threshold Limit Values for Chemicals in the Workplace". National Toxicology Program Annual Report, International Agency for Research on Cancer Monographs, and 40CFR Part 372. All components of this product are in compliance with TSCA.

**TRANSPORTATION :** Containers of less than 110 Gallons (Drums) - Not Regulated by DOT

## SECTION 3 - PHYSICAL DATA

**BOILING POINT:** > 300°F

**SPECIFIC GRAVITY:** 0.88

**SOLUBILITY:** Dispersible

**APPEARANCE AND ODOR:** Clear liquid, fatty organic odor

**VAPOR PRESSURE:** <0.1 mmHg

**% VOLATILES:**EPA method 24 < 1

**VAPOR DENSITY:** > 1

**VOM:**<34 grams per gallon

## SECTION 4 - FIRE AND EXPLOSION INFORMATION

**FLASH POINT (TCC):** >300°F

**FLAMMABLE LIMITS:**      **LEL:** N/E      **UEL:** N/E

**EXTINGUISHING METHODS:** Regular foam, carbon dioxide, dry chemical

**FIRE FIGHTING PROCEDURES:** SCBA recommended: smother to exclude air. Handle as an oil fire Class B fire procedure. Wear self-contained breathing apparatus with a full face piece operating in the pressure demand mode when fighting fires.

**SPECIAL FIRE &EXPLOSION HAZARDS:** Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.

**HMIS Codes:** Health - 1,Flammability - 1,Reactivity - 0,      Personal Protection - D

**NAPA Codes:** Health - 1,Flammability - 1,Reactivity - 0,

## SECTION 5 - HEALTH HAZARD DATA

**EYES:** May cause slight transient (temporary) irritation with slight transient corneal injury, causing redness, tearing or blurred vision.. Contact lenses must not be worn when possibility exists for eyecontact due to spraying liquid or airborne particles.

**SKIN:** Prolonged or repeated contact can cause mild irritation, defatting and dermatitis (redness, burning, drying and cracking) and possible allergic skin reaction. Pre-existing skin disorders may be aggravated by over exposure.

**BREATHING:** Excessive inhalation of vapors can cause nasal and respiratory irritation, central nervous system effects including dizziness, weakness, fatigue, nausea, headache and possible unconsciousness.

**SWALLOWING:** Single dose oral toxicity is low. Swallowing large amounts may be harmful and may cause gastrointestinal irritation (nausea, vomiting, diarrhea). This material can enter the lungs during swallowing or vomiting and can cause lung inflammation and /or damage.